



5E

OPD - I



2024 ఆగస్టు 1 నుండి 7 వరకు  
పుషంప - పాలు పుష్కరింపు ప్రకారం  
పుషంప వారోత్సవం



తల్లి పుష్కరింపు  
పుష్కరింపు చేయండి!



5F


OPD - II



చిన్నపిల్లల ఆహార పరమార్థ చార్టు

5G

OPD - III





**అల్ల పాలు ఇచ్చినప్పుడు చేయాల్సినవి** **అల్ల పాలు ఇచ్చినప్పుడు చేయకూడనివి**

- ✓ దగ్గ వుద్దీర అందంబోగా శిశువాయి క్రూరంగా
- ✓ అమ్మనాగానే తచ్చే ముద్దుపాయి దగ్గకు తప్పక క్రూరంగా
- ✓ శిశు రోగా దగ్గకు ఒక వేల ఒంట్లో ఒకా రోజుపాయివా దగ్గకు పొందిస్తూం మూడరాదు
- ✓ అరు నెలం రుందీ అనుబంధ ఉపశాంతి ముతో పాలు 2 నెలం వరకు శిశు పాలను కొరతగాగించ తప్పదు
- ✓ శిశు దగ్గకు పొందిచ్చు ప్రతి నెలం చేతులు, కాళ్ళులు ముద్దవంతు కొరవరం.
- ✗ దగ్గకు వుద్దీర వంతునే దగ్గకు తిమ్మ వేం మొదలకరం వద్దరాదు
- ✗ దగ్గకు అరు నెలం వూర్తయ్యే వరకు శిశువాయి తప్ప ఉండమైతీ తవతంయ్యు అద్దరాదు
- ✗ దగ్గకు నీనా పాయి మూంక వేరరాదు



**WORLD BREASTFEEDING WEEK**

**అల్ల పాలు మరియు అల్ల పాల వనక ప్రయోజనాలు**

శిశువు యొక్క ముగిసం చేతులు అభివృద్ధి పునాదు చేసే ప్రయోజనాలు

అమ్మ పాలు శిశువుకు అత్యంత ముఖ్యమైనది

అమ్మ పాలు శిశువుకు అత్యంత ముఖ్యమైనది

**Dr. C. SOBHANADRI BHARTHARATHA COLLEGE OF NURSING**  
Chinna Avutapalli

**BREASTFEEDING BENEFITS FOR MOTHER & BABY**

- IMMUNE SYSTEM
- HEALTHY WEIGHT GAIN
- REDUCES CANCER RISK
- NOO BREED BREASTFEED LOSS





✓ కాన్యకాగానే వచ్చే మురుపాలు బద్దకు తప్పక త్రాగించాలి.  
✓ తల్లికి లేదా బద్దకు ఒక వేల ఒంట్లో బాగా లేకపోయినా బద్దకు పాలివ్వటం మానరాదు.  
✓ ఆరు నెలల నుండి అనుబంధ ఆహారముతో పాటు 2 సం.ల వరకు తల్లి పాలును కొనసాగించ వచ్చును.  
✓ తల్లి పాలును ప్రతి సారి చేతులు, దిద్దుకోవాలి.

✗ బద్దకు పుట్టిన వెంటనే చక్కెర నీళ్ళు తేనె మొదలైనవి పట్టరాదు  
✗ బద్దకు ఆరు నెలలు పూర్తయ్యే వరకూ తల్లిపాలు తప్ప ఏవిధమైన ఆహారము ఇవ్వరాదు  
✗ బద్దకు సీసా పాలు కూడా పట్టరాదు

తల్లిపాలు మరియు తల్లి పాల ప్రయోజనాలు  
నిగిను యొక్క బద్దకు వేరు

తల్లిపాల పాఠశాల  
2024, ఆగస్టు 7 నుండి 7 వరకు  
కల్లి బద్దల ఆరోగ్యం కోసం - పాలు ఇచ్చే తల్లులందరికీ మద్దతు ప్రకటిద్దాం  
కల్లి పాలు ఇవ్వడం ఎంపిక కాదు, అది నిబద్ధత  
వైద్య ఆరోగ్య మరియు కుటుంబ సంక్షేమ శాఖ, ఆంధ్రప్రదేశ్ ప్రభుత్వం

ELEVATION  
MAY OF FEEDING IS  
EASILY AVAILABLE  
PERMANENTLY FROM  
BOTTLES.  
OPERATURE PERFECT  
PHYSICAL SHOWN  
EASILY DIGESTIBLE  
EARLY PRESENCE OF MICROBIAL  
ACTIVITY  
NUTRIENTS RICH  
GROWTH

16-18 months	MMR-2, Varicella-1, PCV booster	Only for unvaccinated Hep A vaccine
18-19 months	DTwP/DTaP-RI, Hib-RI, IPV-RI	
4-6 years	Hep A-2, Varicella-2	
10-12 years	DTwP/DTaP-RI, IPV-RI, MMR-3	
	Tdap, IPV	

Tdap is to be administered even if it has been administered earlier (as DTP-BC)

HPV: 2 doses at 6 mo interval between 9-14 y; 3 doses from 15 y on commencement of any age (0-1-6 mo for HPV2, 0-2-6 mo for HPV4)

Age in completed months/years

Abbreviations:

- BCG: Bacillus Calmette Guerin
- OPV: Oral poliovirus vaccine
- DTwP: Diphtheria, tetanus, whole cell Pertussis
- DT: Diphtheria and tetanus toxoids
- TT: Tetanus toxoid
- Hep B: Hepatitis B vaccine
- MMR: Measles, Mumps and Rubella Vaccine
- Hib: Hemophilus influenzae Type 'b' Vaccine
- IPV: Inactivated poliovirus vaccine
- Td: Tetanus, reduced dose diphtheria toxoid
- HPV: Human Papilloma Virus Vaccine
- PCV: Pneumococcal Conjugate Vaccine
- Tdap: Tetanus and Diphtheria Toxoids and a Cellular Pertussis Vaccine



## DEPARTMENT OF PAEDIATRICS

### పాలు ఇచ్చినప్పుడు చేయాల్సినవి తల్లి పాలు ఇచ్చినప్పుడు చేయకూడనివి

- ✓ దగ్గ వున్న అరగంబలోగా తల్లిపాలు త్రాగించాలి
- ✓ కామ్యూనాన్ పచ్చ ముద్దుపాలు దగ్గకు తప్పక త్రాగించాలి.
- ✓ తల్లికి లేదా దగ్గకు ఒక వేల ఒంట్లో బాగా లేకపోయినా దగ్గకు పాలివ్వటం మానరాదు.
- ✓ ఆరు నెలల నుండి అనుబంధ ఆహారముతో పాటు 2 నెలల వరకు తల్లి పాలను తినిపాగించ వచ్చును
- ✓ తల్లి దగ్గకు పాలిచ్చే ప్రతి సారి చేతులు, కొమ్ములు శుభ్రపరచాలి.

- X దగ్గకు వున్న వెంటనే చెక్కర నీళ్ళు తేసి మొదలైనవి పట్టరాదు
- X దగ్గకు ఆరు నెలలు పూర్తయ్యే వరకూ తల్లిపాలు తప్ప ఏవిధమైన ఆహారము ఇవ్వరాదు
- X దగ్గకు సీసా పాలు కూడా పట్టరాదు

### తల్లిపాలు మరియు పాలన కంటే

గిన్నె, యినుకె, నెరుగుడు పాలు అభివృద్ధి

### LATEST FEEDING BENEFITS FOR MOTHERS & BABIES

- BOOSTS IMMUNE SYSTEM
- REDUCES CANCER RISK
- SODDENNESS WITH SYNDROME

A group of people, including medical staff and patients, are gathered around the posters. Some are seated in plastic chairs, while others stand. A woman in a red dress is holding a baby. The setting appears to be a community health center or a hospital waiting area.



OPD - II

ಚಿನ್ನಿಪಿಲ್ಲು ಆವಿರ ಪರಿಹಾರಿ ಚಾರ್ಡ್

ಚಿನ್ನಿಪಿಲ್ಲು ಆವಿರ ಪರಿಹಾರಿ ಚಾರ್ಡ್

ಜ್ವರದ ಚಿಕಿತ್ಸೆ

ಜ್ವರದ ಚಿಕಿತ್ಸೆ

5-H SPECIALITY

Medicine	Age	Route	Frequency	Notes
Paracetamol (500mg)	6 months to 12 years	Oral	4 times daily	For fever & pain
Amoxicillin (250mg)	6 months to 12 years	Oral	3 times daily	For bacterial infections
Chloroquine (500mg)	6 months to 12 years	Oral	4 times daily	For malaria
Hydroxychloroquine (200mg)	6 months to 12 years	Oral	4 times daily	For malaria
Artemisinin (100mg)	6 months to 12 years	Oral	4 times daily	For malaria
Artemether (100mg)	6 months to 12 years	Oral	4 times daily	For malaria
Diethylcarbamazine (100mg)	6 months to 12 years	Oral	4 times daily	For filariasis
Albendazole (400mg)	6 months to 12 years	Oral	Once daily	For helminths
Triclabendazole (1000mg)	6 months to 12 years	Oral	Once daily	For helminths
Levamisole (500mg)	6 months to 12 years	Oral	Once daily	For helminths
Mebendazole (500mg)	6 months to 12 years	Oral	Once daily	For helminths
Thiabendazole (500mg)	6 months to 12 years	Oral	Once daily	For helminths
Flubendazole (500mg)	6 months to 12 years	Oral	Once daily	For helminths
Netilmicin (500mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (8000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (16000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (32000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (64000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (128000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (256000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (512000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1024000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2048000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4096000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (8192000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (16384000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (32768000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (65536000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (131072000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (262144000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (524288000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1048576000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2097152000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4194304000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (8388608000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (16777216000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (33554432000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (67108864000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (134217728000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (268435456000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (536870912000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1073741824000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2147483648000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4294967296000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (8589934592000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (17179869184000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (34359738368000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (68719476736000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (137438953472000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (274877906944000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (549755813888000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1099511627776000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2199023255552000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4398046511104000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (8796093022208000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (17592186444416000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (35184372888832000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (70368745777664000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (140737491555328000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (281474983110656000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (562949966221312000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1125899932442624000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2251799864885248000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4503599729770496000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (9007199459540992000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (18014398919081984000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (36028797838163968000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (72057595676327936000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (144115191352655872000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (288230382705311744000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (576460765410623488000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1152921530821246976000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2305843061642493952000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4611686123284987904000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (9223372246569975808000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (18446744493139951616000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (36893488986279903232000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (73786977972559806464000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (147573955945119612928000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (295147911890239225856000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (590295823780478451712000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1180591647560956903424000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2361183295121913806848000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4722366590243827613696000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (9444733180487655227392000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (18889466360975310454784000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (37778932721950620909568000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (75557865443901241819136000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (151115730887802483638272000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (302231461759604967276544000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (604462923519209934553088000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1208925847038419869106176000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2417851694076839738212352000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4835703388153679476424704000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (9671406776307358952849408000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (19342813552614717905698816000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (38685627105229435811397632000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (77371254210458871622795264000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (154742508420917743245590528000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (309485016841835486491181056000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (618970033683670972982362112000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1237940067367341945964724224000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2475880134734683891929448448000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4951760269469367783858896896000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (9903520538938735567717793792000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (19807041077877471135435587584000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (39614082155754942270871175168000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (79228164311509884541752350336000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (158456328623019769083504700672000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (316912657246039538167009401344000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (633825314492079076334018802688000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1267650628984158152668037645376000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2535301257968316305336075290752000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (5070602515936632610672150581504000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (10141205031873265221344301163008000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (20282410063746530442688602326016000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (40564820127493060885377204652032000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (81129640254986121770754409304064000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (162259280509972243541508818608128000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (324518561019944487083017637216256000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (649037122039888974166035274432512000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1298074244079777948332070488865024000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (259614848815955589666414097773048000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (519229697631911179332828195546096000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1038459395263822358665656391092192000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2076918790527644717331312782184384000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4153837581055289434662625564368768000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (8307675162110578869325251128737536000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (16615350324221157738650502257475072000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (33230700648442315477301004514950144000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (66461401296884630954602009029900288000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (132922802593769261909204018059800576000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (265845605187538523818408036119601152000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (531691210375077047636816072239202304000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1063382420750154095273632144478404608000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2126764841500308190547264288956809216000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (42535296830006163810945285779136184224000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (850705936600123276218905615582723684448000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (17014118732002465524378112311654473688896000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (34028237464004931048756224623308947377792000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (68056474928009862097512449246617894755584000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (136112949856019724195024898493235789511168000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (272225897712039448390049796986471578222336000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (544451795424078896780099593972943156444672000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1088903590848157793560199187945886312889344000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (2177807181696315587120398375891772625778688000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (4355614363392631174240796751783545251557376000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (871122872678526234848159350356709050311464000mg)	6 months to 12 years	Oral	4 times daily	For bacterial infections
Netilmicin (1742245745357052469696318700713418100622928000mg)	6 months to 12 years	Oral		